


Russel 1-30A



FORM
6

Rev
12/05

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

401474662

Date Received:

12/04/2017

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 47120 Contact Name: CHERYL LIGHT
Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP Phone: (720) 929-6461
Address: P O BOX 173779 Fax: (720) 929-7461
City: DENVER State: CO Zip: 80217- Email: cheryl.light@anadarko.com

For "Intent" 24 hour notice required, Name: Gomez, Jason Tel: (970) 573-1277
COGCC contact: Email: jason.gomez@state.co.us

API Number 05-123-19978-00
Well Name: HSR-RUSSELL Well Number: 1-30A
Location: QtrQtr: NENE Section: 30 Township: 2N Range: 67W Meridian: 6
County: WELD Federal, Indian or State Lease Number: _____
Field Name: WATTENBERG Field Number: 90750

Notice of Intent to Abandon Subsequent Report of Abandonment

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.115230 Longitude: -104.925810
GPS Data:
Date of Measurement: 09/04/2008 PDOP Reading: 2.1 GPS Instrument Operator's Name: Cody Mattson

Reason for Abandonment: Dry Production Sub-economic Mechanical Problems
 Other _____

Casing to be pulled: Yes No Estimated Depth: 1190

Fish in Hole: Yes No If yes, explain details below

Wellbore has Uncemented Casing leaks: Yes No If yes, explain details below

Details: _____

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
CODELL	7651	7671			
NIOBRARA	7338	7520			
J SAND	8046	8060	04/07/2010	BRIDGE PLUG	7826

Total: 3 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Weight Per Foot	Setting Depth	Sacks Cement	Cement Bot	Cement Top	Status
SURF	12+1/4	8+5/8	24	819	575	819	0	VISU
1ST	7+7/8	4+1/2	11.6	8,295	275	8,295	6,936	CBL
			Stage Tool	5,273	250	5,284	4,302	CBL

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 7815 with 2 sacks cmt on top. CIPB #2: Depth 7280 with 25 sacks cmt on top.
CIBP #3: Depth 80 with 25 sacks cmt on top. CIPB #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 25 sks cmt from 7280 ft. to 6880 ft. Plug Type: CASING Plug Tagged:
Set 10 sks cmt from 5000 ft. to 4900 ft. Plug Type: CASING Plug Tagged:
Set 15 sks cmt from 3880 ft. to 3690 ft. Plug Type: CASING Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged:

Perforate and squeeze at 4250 ft. with 120 sacks. Leave at least 100 ft. in casing 3880 CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 230 sacks half in. half out surface casing from 1290 ft. to 769 ft. Plug Tagged:
Set 25 sacks at surface
Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: Yes No
Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. _____ inch casing Plugging Date: _____
of _____

*Wireline Contractor: _____ *Cementing Contractor: _____

Type of Cement and Additives Used: _____

Flowline/Pipeline has been abandoned per Rule 1103 Yes No *ATTACH JOB SUMMARY

Technical Detail/Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: CHERYL LIGHT
Title: SR REGULATORY ANALYST Date: 12/4/2017 Email: DJREGULATORY@ANADARKO.COM

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: McCoy, Diane Date: 3/30/2018

CONDITIONS OF APPROVAL, IF ANY: _____ Expiration Date: 9/29/2018

COA Type	Description
	1) Provide 48 hour notice of plugging MIRU via electronic Form 42. 2) Properly abandon all flowlines as per Rule 1103. File electronic Form 42 once abandonment complete. 3) Operator shall implement measures to control unnecessary and excessive venting, to protect the health and safety of the public, and to ensure that vapors and odors from well plugging operations do not constitute a nuisance or hazard to public welfare. 4) Please submit gyro survey data with Form 6 Subsequent Report of Abandonment. 5) Production casing stub plug is also surface casing shoe plug, this plug must be tagged at 769' or shallower.
	Prior to starting plugging operations a bradenhead test shall be performed. 1) If, before opening the bradenhead valve, the beginning pressure is greater than 25 psi, sampling is required. 2) If pressure remains at the conclusion of the test, or if any liquids were present during the test, sampling is required. The Form 17 shall be submitted within 10 days of the test. Sampling shall comply with Operator Guidance - Bradenhead Testing and Reporting Instructions. If samples are collected, copies of all final laboratory analytical results shall be provided to the COGCC within three (3) months of collecting the samples. If there is a need for sampling, contact COGCC engineering for verification of plugging procedure.

Attachment Check List

Att Doc Num	Name
401474662	WELL ABANDONMENT REPORT (INTENT)
401474666	PROPOSED PLUGGING PROCEDURE
401474667	WELLBORE DIAGRAM
401592120	FORM 6 INTENT SUBMITTED

Total Attach: 4 Files

General Comments

User Group	Comment	Comment Date
Public Room	Document verification complete 12/18/17	12/18/2017

Total: 1 comment(s)



THE PLUG & ABANDONMENT PROCESS



When a well is no longer economically producing oil and natural gas, the well is evaluated for retirement and will undergo a process called 'plug and abandonment,' or P&A as it is often called.

To retire, or P&A, a well, the operator must submit a plug and abandonment plan to the state regulatory authority, the Colorado Oil and Gas Conservation Commission (COGCC) for approval.

Once the plan is approved by the COGCC, the operator is required to inform the municipality where the well is located. Operators also communicate with surface land and mineral owners and surrounding neighbors regarding the retirement of the well.

How a Well is Retired



1

A workover rig arrives on-site. While the rig is on location, the well will be plugged per the plan approved by the COGCC. Cement is pumped into the well to cover and isolate the zones that produce oil and natural gas.



2

When the plugging operation is complete, the workover rig moves off the location, the well head is removed and the associated flowlines are excavated. Associated surface equipment (tanks, separators, etc.) may also be removed if it is not serving other active wells in the area.



3

The remaining portion of the well is cut a minimum of seven feet below the surface and an identifying marker is welded to the top of the plugged wellbore.



4

A final report is submitted to the COGCC to certify the wellbore has been plugged in accordance with the regulatory requirements.



5

The site is reclaimed, or restored, to match the existing landscape.